



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

| REVISIONS |   |         |         |          |
|-----------|---|---------|---------|----------|
| REV       | DESCRIPTION   | DATE    | INITIAL | APPROVED |
| 1         | REDREW PRINT, CH'D -20 ANGLE FROM 60°, CH'D TIP FROM .032, ADDED -21 SCREW M4 X .7 $\nabla$ .300 HOLE TO TIP, ADDED -22 MISSING .374 THICKNESS DIMENSION PER G.E. | 3/26/12 | RJC     | GE       |



NOTE  
REF OLD RB T/N: RBEA93-3201-00




| ASSY QTY | ASSY QTY | B/O | Part # | UNIT QTY | Description            | Material  | B/O INFORMATION OR SPECIFICATIONS                   | PG. |
|----------|----------|-----|--------|----------|------------------------|-----------|---|-----|
|          |          |     | -20    | 1        | EXTRACTOR              | 4140 Q&T  | Ø2-3/4 X 3  | 2   |
|          |          |     | -21    | 1        | BOLT                   | STEEL     | M14 X 1.5 X 60mm MCMASER-CARR #91180A381 (MODIFIED) | 3   |
|          |          |     | -22    | 1        | WASHER                 | 1018      | Ø1-3/4 X 1/2  | 4   |
|          |          |     | -23    | 1        | SLEEVE                 | DOM STEEL | Ø2-3/4 X 7/32 WALL X 15/16                          | 5   |
|          |          | B/O | -24    | 1        | PAN HEAD MACHINE SCREW | STEEL     | M4 X .7 X6mm MCMASER-CARR #92005A215                | 1   |

|   |   |
|---|---|
| <b>RED BARN MACHINE</b>   |   |
| TITLE<br><b>POWER RING EXTRACTOR</b>  |   |
| DWG NO.<br><b>RBE350A93-3201-00</b>   | REV<br><b>1</b>   |
| MAT'L<br>UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES<br>.XXX ± .005 FRACTIONS ± 1/32<br>.XX ± .01 ANGLES ± 5°<br>.X ± .1 | DRAWN BY: <b>CLOUGH</b><br>APPROVED <i>D Weil</i><br>HEAT TREAT<br>FINISH<br>SPEC |
| 1. BREAK ALL SHARP EDGES .015 x 45°<br>OR .015R<br>2. DIMENSIONAL LIMITS APPLY AFTER PLATING  | USED ON MODEL<br><b>EUROCOPTER 350</b>  |
| SCALE<br><b>1:1</b>   | DATE<br><b>3/23/2012</b>  |
| SHEET 1 OF 5  |   |




This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

| REVISIONS |  |           |         |          |
|-----------|--|-----------|---------|----------|
| REV       | DESCRIPTION  | DATE      | INITIAL | APPROVED |
| 1         | ADDED -21 SCREW M4 X .7 $\nabla$ .300 HOLE TO TIP PER G.E. | 3/26/2012 | RJC     | GE       |






✓ M4X0.7 - 6H  $\nabla$  .315  
 $\phi$  .157 X 90°, NEAR SIDE

(-21)  
 BOLT

|   |                        |
|---|------------------------|
|  <b>RED BARN MACHINE</b> |                        |
| <b>TITLE</b><br>POWER RING EXTRACTOR  |                        |
| DWG NO.<br>RBE350A93-3201-00-21   | REV<br><b>1</b>        |
| MAT'L STEEL   | DRAWN BY: CLOUGH       |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES  | APPROVED <i>D Weil</i> |
| .XXX $\pm$ .005   | HEAT TREAT             |
| .XX $\pm$ .01   | FINISH BLACK OXIDE     |
| .X $\pm$ .1   | SPEC                   |
| 1. BREAK ALL SHARP EDGES .015 x 45°<br>OR .015R   | USED ON MODEL          |
| 2. DIMENSIONAL LIMITS APPLY AFTER<br>PLATING  | EUROCOPTER 350         |
| SCALE 1:1   | DATE 3/23/2012         |
| SHEET 3 OF 5  |                        |

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.



| REVISIONS |   |           |         |          |
|-----------|---|-----------|---------|----------|
| REV       | DESCRIPTION   | DATE      | INITIAL | APPROVED |
| 1         | ADDED -22 MISSING .374 THICKNESS DIMENSION PER G.E. | 3/26/2012 | RJC     | GE       |



SECTION C-C

(-22)


WASHER

|  |  |
|--|--|
|  <b>RED BARN MACHINE</b>                    |  |
| <b>TITLE</b><br>POWER RING EXTRACTOR   |  |
| <b>DWG NO.</b><br>RBE350A93-3201-00-22   | <b>REV</b><br><b>1</b>   |
| <b>MAT'L</b> 1018  | <b>DRAWN BY:</b> CLOUGH  |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES<br>.XXX ± .005<br>.XX ± .01<br>.X ± .1<br>FRACTIONS ± 1/32<br>ANGLES ± 5° | <b>APPROVED</b><br><br><b>HEAT TREAT</b><br>FINISH BLACK OXIDE<br><b>SPEC</b> |
| 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R<br>2. DIMENSIONAL LIMITS APPLY AFTER PLATING  | <b>USED ON MODEL</b><br>EUROCOPTER 350   |
| <b>SCALE</b> 1:1   | <b>DATE</b> 3/23/2012  |
| <b>SHEET 4 OF 5</b>  |  |

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


| REVISIONS |             |      |         |          |
|-----------|-------------|------|---------|----------|
| REV       | DESCRIPTION | DATE | INITIAL | APPROVED |

MEDIUM  
KNURL




SECTION B-B

$\phi 2.677 \pm .039$



$\phi 2.441^{+.004}_{-.000}$



(-23)

SLEEVE

|   |  |
|---|--|
| <b>RED BARN MACHINE</b>   |  |
| <b>TITLE</b><br>POWER RING EXTRACTOR  |  |
| <b>DWG NO.</b><br>RBE350A93-3201-00-23  | <b>REV</b><br><b>1</b>   |
| <b>MAT'L</b> DOM STEEL  | <b>DRAWN BY:</b> CLOUGH  |
| <b>UNLESS OTHERWISE SPECIFIED<br/>DIMENSIONS ARE IN INCHES</b><br>.XXX $\pm .005$<br>.XX $\pm .01$<br>.X $\pm .1$<br>FRACTIONS $\pm 1/32$<br>ANGLES $\pm 5^\circ$ | <b>APPROVED</b><br><i>D Weil</i>                                 |
|   | <b>HEAT TREAT</b><br>BLACK OXIDE                                 |
|   | <b>SPEC</b>  |
|   | <b>USED ON MODEL</b><br>EUROCOPTER 350                           |
| 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R<br>2. DIMENSIONAL LIMITS APPLY AFTER PLATING   | <b>SCALE</b> 1:1<br><b>DATE</b> 3/23/2012<br><b>SHEET</b> 5 OF 5 |